



Veneer White Ash 1.40 mm

Item No. 01-000141



Description

Ash is one of the most valuable woods of the Central European forest, found mainly along streams and rivers and in riparian forests. Thanks to its elasticity and shock resistance, it is known for its use in gymnastic equipment and tool handles. The wood gets its typical, expressive character from its ring and coarse pores. Due to the clearly separated annual rings, the texture is strongly figured on the tangential surfaces and striped on the radial surfaces. The wood is whitish to yellowish-white or reddish-white in colour.

Trade names and other names

German: Esche weiss

English: Ash, European Ash

French: Frene

Italian: Frassino, Frassino maggiore, Frassino comune

Spanish: Fresno norteoño, fresno común, fresno grande

Dutch: Aesche, As

Portuguese: Cinza

Arabic: Murran

Chinese: 白蜡木

Available veneer thicknesses

0.56, 0.9, 1.4, 2.4 mm, other thicknesses on request

Occurrence

Ash (*Fraxinus excelsior*) is found throughout Europe with the exception of Central and Southern Spain, in the Near East and partly in India.

Trunk and bark

As a rule, ash trees reach a height of between 17 and 35 metres. On particularly good sites, however, heights of over 40 m can be reached. The ash can be up to 20 m knot-free and 1 m thick. The bark of the ash is smooth and greenish grey up to the age of 50, later brown, almost black, with broad longitudinal and transverse cracks. The bark is greenish in young alder, later changing to dark brown and becoming quite cracked.





Characteristics and wood colour

The ash is ring-porous, the large vessels in the early wood appear as coarse needle cracks in longitudinal section. The annual rings are clearly visible in all sections of the Ash. The wood of the European Ash is creamy white to light brown, sometimes with a dark brown or black heartwood. Heartwood and sapwood are hardly distinguishable. Dark heartwood is a quality defect in ash, as the wood with red, brown or black heartwood is not as tough as those of white colour.

Specifications

Category	Veneers
Product group	Veneers sliced
Thicknesses	1.40 mm
Weight kg/m2	1.010
Specie	European Ash
Botanical name	Fraxinus excelsior
Wood type	Hardwood
Main occurrence	Europe
Wood origin	Germany Croatia Austria Switzerland Hungary
Manufacturing/origin	Austria
Certification	not certified FSC®100%
Colour	yellow
Hue	clear
Use	furniture interior
Customs tariff number	44089000
Packaging	in bundle, approx. 12 sheets
Items on stock	yes
Date of delivery	approx. 3 - 6 working days
Postal shipping	nein

Documents

	Prospekt Furniere & Massivholz
	Produktblatt Furnier-Imager
	Produktblatt mtextur
	Holzdeklaration