



## Veneered chipboard panel P2/E1 knotty Oak roughcut | A/B standard | mix matched

Item No. 04-001311



---

## Description

We produce high-quality veneered chipboard E1 or CARB P2 in over 120 different veneer wood species. Chipboard, often referred to as flat pressed board (P2 to P7, formerly FYP), consists of different sized glued chips.

### Gluing

Chipboard E1, face veneer gluing formaldehyde-free, test certificate E1 in the composite

### Area of application

Furniture and interior fittings as well as shop fitting and trade fair construction as fronts, fillings, carcasses and back panels

### Joining techniques

We distinguish between the following joining techniques how the individual veneer sheets are joined to each other: toppled, planked (also called planked or mixmatch), pushed or twisted pushed.

### Standard formats

2500 x 1250 mm, 3050 x 1250 mm, 2800 x 2070 mm, 3100 x 2070 mm, 3600 x 2070 mm, other formats or fixed format cuts on request

### Standard thickness incl. veneer

04, 09, 11, 13/14, 16/17, 19/20, 23, 25/26, 29, 39, 51, 61 mm, other thicknesses on request

Backing board versions

veneered chipboard formaldehyde-free, veneered chipboard water-resistant, veneered chipboard flame-retardant  
Please enquire about formats, thicknesses and availability in each case.

Veneers, fixed veneer mass and veneer edges

We supply matching veneers, veneer filler with or without fleece coating on the reverse side and veneer edges for all veneered chipboards. Simply ask us.

Specifications

| Category               | Panels                              |
|------------------------|-------------------------------------|
| Product group          | Veneered panels                     |
| Lengths                | 2800 mm                             |
| Widths                 | 2070 mm                             |
| Thicknesses            | 19 mm                               |
| Tolerance of thickness | ± 0.5 mm                            |
| Weight kg/piece        | 71.580                              |
| Specie                 | Knotty Oak rough cut                |
| Botanical name         | Quercus robur/Quercus petraea       |
| Wood type              | Hardwood                            |
| Wood origin            | Central Europe   Eastern Europe     |
| Manufacturing/origin   | Italy   Austria   Slovakia          |
| Certification          | not certified                       |
| Substrate              | chipboard                           |
| Emission class         | E1                                  |
| Classification         | P2                                  |
| Quality front          | A random match (front quality)      |
| Quality back           | B random match (backing quality)    |
| Surface structure      | rough-cut   unsanded                |
| Surface treatment      | untreated                           |
| Gluing                 | PVAC glue D3 according to DIN EN204 |
| Customs tariff number  | 44129900                            |
| Packaging              | loosely                             |
| Items on stock         | no                                  |
| Date of delivery       | approx. 3 - 4 weeks                 |
| Postal shipping        | nein                                |

Documents

