



Bouls Larch 40 mm

Item No. 02-000382



Description

The appearance of this popular furnishing wood is determined by the alternation of light early wood and darker late wood clearly delineated on both sides. This creates tangentially strikingly beautiful veins and radially fine but also strong stripes, which unfold their decorative effect. The colour of the larch is yellowish brown and pale reddish to strong brick red.

Trade names and other names

German: Lärche, Lärche heimisch astrein, Lärche heimisch

English: Larch, Larix decidua, European Larch

French: Méléze, Méléze d'Europe

Italian: Larice, Larice comune

Spanish: Alerce europeo, Lárice

Portuguese: Alerce, Cedro, Larice-europeu ou Lariço-europeu

Dutch: Europese lork, Europese lariks

Available thicknesses

30, 32, 38, 40, 50, 52, 60, 63, 65, 78, 80, 90 mm, other thicknesses on request

Occurrence

Widespread over Central Europe with focal points in the Alps, the Carpathians and in Poland, in other parts Larch (*Larix decidua*) is cultivated.

Trunk and bark

The tree of the larch reaches a height of up to 45m and diameters of up to 1.2m. Larches that grow in forests and closed stands are very straight and cylindrical and have no branches in the stem up to 2/3 of their length. The bark of the larch is smooth and ash-grey on young trees, later becoming up to 3cm thick and barked. Larch has a very high proportion of bark on the trunk and this is 16-24%.

Characteristics and wood colour

The annual rings of the Larch are clearly visible due to the broad, dark late wood zones. Larch splint is narrow and light yellowish-brown. The heartwood is dark reddish-brown when fresh, darkening later.

Literature:

Wood atlas edition 3 by Wagenführer/Scheiber 1989.

Wood science volume 1-3 by H.H. Bosshard 1982

Specifications

Category	Lumber
Product group	Unedged lumber
Thicknesses	40 mm
Weight kg/m ³	600.000
Specie	Larch
Botanical name	<i>Larix decidua</i>
Wood type	Softwood
Main occurrence	Europe
Wood origin	Germany Italy Austria Switzerland Czech Republic
Certification	not certified FSC®100% 100% PEFC
Colour	light-brown
Hue	clear
Use	doors construction wood
Surface structure	rough-cut
Humidity	10% ± 2%
Customs tariff number	44071910
Packaging	loosely
Items on stock	yes
Date of delivery	approx. 3 - 6 working days
Postal shipping	nein

Documents



Prospekt Furniere & Massivholz



Holzdeklaration
