

# Edgebanding European Ash | 3-layer | approx. 1.5 x 30 mm

m1

Stück (je 140 m1)

Item No. 05-000171

• Variants

UOM:
m1

CHF 3.08 /m1

please inquire

## Description

140 m

The continuous rolls are generally available in **100 or 150 running metres**. We only sell the veneer edgings as entire rolls and cannot unroll smaller quantities. If you want to know the exact quantity m1 per roll, please ask us.

CHF 3.08 /m1

Continuous thick veneer edgings from the roll are produced in multiple layers in thicknesses from 1.0 to 3.0 mm. We stock many types of wood in standard thicknesses of 1.0 mm 2-ply, 1.5 mm 3-ply and 2.0 mm 4-ply as well as standard widths of 24 and 30 mm. The real wood veneer edges are sanded on the surface and thickness-calibrated on the reverse side. The structure of several veneer layers ensures high strength, good milling properties, hardly any distortion and constant dimensional stability. The layers of thick veneer edges are glued with PVAC white glues.

#### Finishing options

- -fine surface sanding
- -thickness calibration on the reverse side
- -bonding-friendly backsides
- -priming or PVAc pre-coating
- -SK pre-coating 180/200/250 g/m2

## **Advantages**

- -highest strength in practically all areas of the edge
- -best milling properties
- -hardly any warping or twisting
- -constant dimensional stability

# Specifications

Product group Edgebanding  Widths 30 mm  Thicknesses 1.50 mm  Tolerance of thickness ±0.05 mm  Weight kg/m1 0.032  Specie European Ash  Botanical name Fraxinus excelsior  Wood type Hardwood  Wood origin Central Europe  Manufacturing/origin Germany  Certification not certified  Construction 3-layer  Surface structure unsanded  Surface treatment untreated
Thicknesses 1.50 mm  Tolerance of thickness ± 0.05 mm  Weight kg/m1 0.032  Specie European Ash  Botanical name Fraxinus excelsior  Wood type Hardwood  Wood origin Central Europe  Manufacturing/origin Germany  Certification not certified  Construction 3-layer  Surface structure unsanded  Surface treatment untreated
Tolerance of thickness ±0.05 mm  Weight kg/m1 0.032  Specie European Ash  Botanical name Fraxinus excelsior  Wood type Hardwood  Wood origin Central Europe  Manufacturing/origin Germany  Certification not certified  Construction 3-layer  Surface structure unsanded  Surface treatment untreated
Weight kg/m1     0.032       Specie     European Ash       Botanical name     Fraxinus excelsior       Wood type     Hardwood       Wood origin     Central Europe       Manufacturing/origin     Germany       Certification     not certified       Construction     3-layer       Surface structure     unsanded       Surface treatment     untreated
Specie European Ash  Botanical name Fraxinus excelsior  Wood type Hardwood  Wood origin Central Europe  Manufacturing/origin Germany  Certification not certified  Construction 3-layer  Surface structure unsanded  Surface treatment untreated
Botanical name Fraxinus excelsior  Wood type Hardwood  Wood origin Central Europe  Manufacturing/origin Germany  Certification not certified  Construction 3-layer  Surface structure unsanded  Surface treatment untreated
Wood type     Hardwood       Wood origin     Central Europe       Manufacturing/origin     Germany       Certification     not certified       Construction     3-layer       Surface structure     unsanded       Surface treatment     untreated
Wood origin     Central Europe       Manufacturing/origin     Germany       Certification     not certified       Construction     3-layer       Surface structure     unsanded       Surface treatment     untreated
Manufacturing/origin     Germany       Certification     not certified       Construction     3-layer       Surface structure     unsanded       Surface treatment     untreated
Certification     not certified       Construction     3-layer       Surface structure     unsanded       Surface treatment     untreated
Construction 3-layer Surface structure unsanded Surface treatment untreated
Surface structure unsanded Surface treatment untreated
Surface treatment untreated
Gluing PVAC glue D3 according to DIN EN204
Customs tariff number 44089000
Packaging on roll
Items on stock yes
Date of delivery approx. 2 - 3 working days
Postal shipping ja